

SAFETY DATA SHEET

Preparation Date : May 2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name AMN 1070B

Other means of identification

Chemical Family Aromatic diamine blend
Formula $(C_2H_5)_2(CH_3)C_6H(NH_2)_2$

Recommended use of the chemical and restrictions on use

General function Curing chemical.
Uses advised against No information available

Company manufacture Forsch Polymer Corp.
3025 S. Wyandot st.
Englewood, Co 80110

For Non-Emergency 303-322-9611

Email forschpolymerco@aol.com

Emergency telephone number

Emergency Telephone Numbers 303-548-7716

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Acute Toxicity - Dermal	Category 4
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label elements

Emergency Overview

Warning

Hazard Statements

Harmful if swallowed

Harmful in contact with skin

Causes serious eye irritation

May cause damage to organs through prolonged or repeated exposure

Very toxic to aquatic life with long lasting effects



Appearance Liquid

Color Clear. Yellow.

Odor Pungent

Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Wear protective gloves/protective clothing/eye protection/face protection
 Do not breathe dust/fume/gas/mist/vapors/spray
 Avoid release to the environment

Response

Get medical advice/attention if you feel unwell
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of soap and water
 Call a POISON CENTER or doctor/physician if you feel unwell
 Wash contaminated clothing before reuse
 IF INHALED: Move to fresh air.
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
 Collect spillage

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 2.5% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature of the preparation 3.1. Substances.

Component	CAS-No	Weight %
Diethyltoluenediamine	68479-98-1	30 – 95%
Di-n-Butyl Phthalate	84-74-2	5 – 50%

Note: The exact concentrations of the above listed chemicals are being withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact	Remove contaminated clothing and shoes. After contact with skin, wash immediately with plenty of water. Wash clothing before reuse. Seek medical advice.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, apply artificial respiration. Seek medical advice.

Exposure Guidelines A*

•ro•riate en• ineerin
Engineering Controls

controls

Ensure adequate ventilation, especially in confined areas. See Extended Safety Data Sheet.

Individual protection measures, such as personal protective equipment

Eye/face Protection Chemical goggles or face shield with safety glasses.

Skin Protection DERMAL PROTECTION: Dermal exposure is considered the primary route of exposure. BODY: A protective apron or suit such as polyethene tyvek or equivalent should be used to minimize exposure from splashes.

Respiratory protection Approved organic vapor respirator when exposed to vapors from heated material. Approved supplied-air respirator, in case of emergency.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES
--

Information on basic physical and chemical properties

Appearance	Liquid
Color	Clear. Yellow.Amber-Dark
Odor	Pungent.
Odor Threshold	No information available
Molecular Weight	No information available
pH	Not available
Melting point/freezing point	No information available
Boiling Point/Range	308.3 °C / 587 °F (1013 hPa)
Flash Point	169 °C / 336 (PMCC)
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information
Lower flammability limit:	available No
Vapor Pressure	information available
Vapor Density	0.000971 Pa (25°C) 6.2
Relative density	1.02 (20°C)
Solubility(ies)	
Water Solubility	1% (20°C)
Solubility in other	No information available
solvents Partition coefficient	1.16 (25 °C)
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic Dynamic	No information available
viscosity	286 mPa.s (20°C)
Explosive Properties	N o n e
Oxidizing Properties	N o n e

10. STABILITY AND REACTIVITY

Reactivity Hazard	No data available
Stability	Stable under normal conditions.
Hazardous Reactions	No hazardous reaction expected under normal handling.
Hazardous Polymerization	None under normal processing.

Conditions to Avoid Exposure to air.
 Materials to avoid Strong acids. Strong oxidizing agents.
 Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Not an expected route of exposure.
 Eye contact Irritating to eyes.
 Skin Contact Harmful if absorbed through skin.
 Ingestion Harmful if swallowed.

Potential Health Effects

Acute Effects

Skin corrosion/irritation Skin irritation: Slightly irritating but not sufficient for classification.
 Serious eye damage/eye irritation Eye irritation: Irritating to eyes. (rabbit).
 irritation Respiratory irritation : No data available
 Sensitization Not sensitizing. (guinea pig).

Chronic Effects

Mutagenic Effects In vitro mutagenicity test: Positive and negative results in bacterial and mammalian cells in the presence of metabolic activation. In vivo mutagenicity tests: Mouse micronucleus test • negative. Dominant lethal test, rat, negative.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	ACGIH Carcinogens	IARC	NTP	OSHA Carcinogens
Diethyltoluenediamine	68479-98-1	NL	NL	NL	NL

Di-n-Butyl Phthalate	84 – 74- 21	NL	NL	NL	NL
----------------------	-------------	----	----	----	----

Reproductive Effects No effect on reproductive organs in repeated dose studies in rats.
 STOT - single exposure No information available.
 STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.
 Chronic Effects A two year feeding study in rats showed DETDA cause effects in the pancreas, liver, thyroid and eyes. An increase in the number of tumors in the liver and thyroid of male rats and in the liver and possibly mammary gland of female rats was found.
 Target Organ Effects Pancreas.
 Aspiration hazard No information available.

Numerical measures of toxicity

Product Information

Unknown Acute Toxicity No information available
 The following values are calculated based on chapter 3.1 of the GHS document .
 ATEmix (oral) 757 mg/kg
 ATEmix (dermal) 1128 mg/kg
 LD50 Oral: Rat Oral LD50: 738 mg/kg
 LD50 Dermal: Rabbit Dermal LD50: > 2000 mg/kg

Component Information

No information available

Component	Rat Oral LD50 :	Rabbit Dermal LD50 :	Rat Inhalation LC50:
Diethyltoluenediamine	738 mg/kg	>2000 mg/kg	NA
Di - n- Butyl Phalate 84 - 74 - 2	8000 kg	NA	>15.68 mg/<4 hrs.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

Component	Freshwater Algae EC50/72h :	Freshwater Fish LC50/96h	Water Flea EC50/48h :
Diethyltoluenediamine	104 mg/l - Algae EC10/72h : 54 mg/l	> 104 mg/l - Fish LC50/48h : 200 mg/l	5.8 mg/l - Water Flea LC50/48h : 0.5 mg/l
Di - n- Butyl Phalate 84 - 74 - 2	NA	1.54 mg/ < 96 hrs.	2.99 mg/ < 48 hrs.

Persistence/Degradability Not readily biodegradable. Photodegradation: T1/2. Air: 1.484. hour. (calculated).

Bioaccumulation/ Accumulation No information available.

Mobility in Environmental Media The substance is expected to partition primarily to soil and water. Koc =. 32-551 l/kg (QSAR estimate). Henry's law constant =. 0.000266. (20⁰). (QSAR estimate).

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Dispose in a safe manner in accordance with local/national regulations. Absorb and incinerate.

Contaminated Packaging Do not reuse container.

16. OTHER INFORMATION				
-----------------------	--	--	--	--

NFPA	Health 2	Flammability 1	Instability 0	Physical Hazards -
HMIS	Health 2	Flammability 1	Physical Hazards 0	

Preparation Date : May 2015
Revision Date: May 2015

Disclaimer:

The information contained herein is accurate to the best of our knowledge. The Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances_

End of Safety Data Sheet